

LESS DROWSY MOTION SICKNESS RELIEF- meclizine hydrochloride tablet

Discount Drug Mart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DISCOUNT drug mart FOOD FAIR less drowsy motion sickness relief

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

- for children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urinating due to an enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking

- sedatives
- tranquilizers

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center.

Directions

- take first dose one hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Inactive ingredients

calcium stearate, FD&C red #40 aluminum lake, lactose, microcrystalline cellulose, silicon dioxide, Sodium starch glycolate

Other Information

- store at room temperature between 59° - 86°F (15 - 30°C)
- protect from excessive moisture.

PRINCIPAL DISPLAY PANEL

Compare to Dramamine® LESS DROWSY FORMULA active ingredients*

DISCOUNT drug mart FOOD FAIR

less drowsy

motion sickness relief tabs

Meclizine Hydrochloride

- antiemetic

provides Up To 24 Hours of Motion Sickness Protection

prevents nausea, dizziness, vomiting

8 TABLETS (25 mg EACH) new smaller size

Retain carton for complete product information.

Distributed by: Drug Mart-Food Fair

211 Commerce Dr., Medina, Ohio 44256

Questions?: 866-467-2748

SHOPKO

Travel Tabs

Antiemetic

Meclizine Hydrochloride 25 mg

Prevents nausea, dizziness & vomiting due to motion sickness

30 Tablets

SHOPKO

Travel Tabs

Antiemetic

Meclizine Hydrochloride 25 mg

SHOPKO

Travel Tabs

Antiemetic

Meclizine Hydrochloride 25 mg

Prevents nausea, dizziness & vomiting due to motion sickness

30 Tablets



DO NOT USE IF TAMPER-EVIDENT SEAL IS BROKEN OR MISSING.
RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses • prevents and treats nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use • for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have • a breathing problem such as emphysema or chronic bronchitis • glaucoma • difficulty in urination due to enlargement of the prostate gland.
Ask a doctor or pharmacist before use if you are taking • sedatives • tranquilizers.
When using this product • drowsiness may occur • alcohol, sedatives, and tranquilizers may increase drowsiness • avoid alcoholic drinks • be careful when driving or operating machinery.

©2012 Shopko Stores Operating Co., LLC www.shopko.com

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center.

Directions • adults and children 12 years of age and over: take 1 to 2 tablets once daily, or as directed by a doctor.

Other information • store at room temperature between 59°-86°F (15°-30°C) • protect from excessive moisture.

Inactive ingredients calcium stearate, FD&C red #40 aluminum lake, lactose, microcrystalline cellulose, silicon dioxide, sodium starch glycolate.

Questions? 1-800-328-5890 Weekdays 8:30 - 5:00 CST

Made in the USA by Bell Pharmaceuticals, Inc., 200 W. Beaver St., Belle Plaine, MN 56011

SHOPKO

Travel Tabs

Antiemetic

Meclizine Hydrochloride 25 mg

Prevents nausea, dizziness & vomiting due to motion sickness



30 Tablets

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient (in each tablet)	Purpose
Meclizine HCl 25 mg	Antiemetic
Uses • prevents and treats nausea, vomiting, or dizziness associated with motion sickness	
Warnings	
Do not use • for children under 12 years of age unless directed by a doctor	
Ask a doctor before use if you have • a breathing problem such as emphysema or chronic bronchitis • glaucoma • difficulty in urination due to enlargement of the prostate gland	
Ask a doctor or pharmacist before use if you are taking • sedatives • tranquilizers	
When using this product • drowsiness may occur • alcohol, sedatives, and tranquilizers may increase drowsiness • avoid alcoholic drinks • be careful when driving or operating machinery	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center.	
Directions • adults and children 12 years of age and over: take 1 to 2 tablets once daily, or as directed by a doctor.	
Other information • store at room temperature between 59°-86°F (15°-30°C) • protect from excessive moisture • do not use if tamper-evident seal is broken or missing.	
Inactive ingredients calcium stearate, FD&C red #40 aluminum lake, lactose, microcrystalline cellulose, silicon dioxide, sodium starch glycolate	
Questions? 1-800-328-5890 Weekdays 8:30 - 5:00 CST	

SATISFACTION GUARANTEED BY REFUND OR EXCHANGE

Made in the USA by Bell Pharmaceuticals, Inc. 200 W. Beaver St. Belle Plaine, MN 56011

LOT

EXP

Rev 11/12

LESS DROWSY MOTION SICKNESS RELIEF

meclizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-826
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM STEARATE (UNII: 776XM7047L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LACTOSE (UNII: J2B2A4N98G)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-826-29	8 in 1 BLISTER PACK	12/01/2014	
1		1 in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	12/01/2014	

Labeler - Discount Drug Mart (047741335)

Establishment

Name	Address	ID/FEI	Business Operations
Bell Pharmaceuticals, Inc.		140653770	manufacture(53943-826)

